

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sean M. McGinn on June 5, 2008.

The application has been amended as follows:

Amendment to claim 65

Claim 65.

(Currently Amended) A system **while executing on a computer** for detecting an integrity constraint violation in

a database interaction, comprising:

a common constraint model for analyzing database schema, application type, and a mapping between said database schema and said application type;

a generating unit for generating a check based upon said database schema, said application type, and said mapping;

an inserting unit for inserting said check into one of said database and said application;

and

a determining unit for determining whether an integrity constraint violation will occur in said database interaction with said application based upon said check.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Todd Ingberg whose telephone number is (571) 272-3723. The examiner can normally be reached on during the work week..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on (571) 272-3759. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Todd Ingberg/
Primary Examiner

TI